

## connection terminal plate, 3-pole (01199)



The picture may show a similar product.

### Description

Part No.: **01199**000

CRITO<sup>®</sup> 60Classic

connection terminal plate, 3-pole

95 - 185 mm<sup>2</sup>

for busbars 20, 25, 30 x 5, 10 and section busbars

### System

60Classic

## Advantages of the product

Terminals with captive clamping screws

Conductor can be overlapped

Indication of nominal cross-section and tightening torque noted on the terminals.

**Product group** 07

**Subgroup** 48

**pack size** 1

**EAN** 4021267011994

**catalog page** 2020 : 3.5

**ECLASS 6.1** 27141146

**ECLASS 7.1** 27141146

**ETIM 4.0** EC000001

**ETIM 5.0** EC000001

## Approvals

### Standards

IEC 61439-1:2020

IEC 60999-1:1999

IEC 60999-2:2003

### Approvals

DNV GL



CCC approval: no certification required

# Technical data

## Details IEC

### Standards

IEC 61439-1:2020

IEC 60999-1:1999

IEC 60999-2:2003

### Electrical data IEC

Rated current (IEC): 350 A

rated voltage (IEC) AC: 690 V

The insulation performance of the article depends on the installation conditions.

rated peak withstand current  $I_{pk}$  max.: 55.8 kA

### Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) AC: 1000 V

max. permitted voltage (IEC) DC: 1500 V

current capacity (IEC) max.: 460 A

### Mechanical data

W x H x D: 135 x 200 x 118

weight: 132.2 kg/100

poles: 3-pole

for busbars: 20, 25, 30 x 5, 10 and section busbars

### Terminal points

min. cross-section: 95 mm<sup>2</sup>

max. cross-section: 185 mm<sup>2</sup>

Suitable for aluminium cables.

When using aluminium cables, observe the maintenance instructions.

für Anwendungen nach IEC / EN :

Cu und Al 95 - 185 mm<sup>2</sup> Rundleiter mehrdrähtig und Sektorleiter mehrdrähtig

Cu auch feindrähtig, direkt geklemmt

for applications acc. to IEC / EN:

Cu or Al 95 - 185mm<sup>2</sup>, round stranded or sector-shaped stranded cables

also fine stranded Cu cables (direct clamping)

<https://pim.woehner.de/EN/EN/1000046317>