


busbar terminal for longitudinal connection (01201)



The picture may show a similar product.

Description

Part No.: **01201000**

busbar terminal for longitudinal connection

for cables

120 - 240 mm²

for busbars 20 x 5, 10

System

60Classic

Product group 07

Subgroup 21

pack size 3

EAN 4021267012014

catalog page 2020 : 3.7

ECLASS 6.1 27141146
ECLASS 7.1 27141146
ETIM 4.0 EC000001
ETIM 5.0 EC000001

Approvals

Standards

IEC 61439-1:2020
IEC 60999-1:1999
IEC 60999-2:2003

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020
IEC 60999-1:1999
IEC 60999-2:2003

Electrical data IEC

rated voltage (IEC) AC: 690 V

The insulation performance of the article depends on the installation conditions.

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) AC: 1000 V
max. permitted voltage (IEC) DC: 1500 V

Mechanical data

weight: 11.0 kg/100
for busbars: 20 x 5, 10

Terminal points

Terminal space: 21 x 20

Not suitable for aluminium cables !

Reference

Zur Erfüllung einer bestimmungsgemäßen Klemmung der vorgegebenen Leiter wird die oben beschriebene Ausführung mit zusätzlichem Klemmprismen-Unterteil empfohlen.

<https://pim.woehner.de/EN/EN/1000045593>