


## CrossLink® touch-safe protection cover module (01434)



The picture may show a similar product.

### Description

Part No.: **01434**000A

CrossLink® 185Power

CrossLink® touch-safe protection cover module

100 mm wide

100 x 540

for busbars 30, 40, 60, 80, 100, 120 x 10

### System

185Power

Product group 06

Subgroup 27

pack size 4

EAN 4021267014346

ECLASS 6.1 27370390  
ECLASS 7.1 27142190  
ETIM 4.0 EC002498  
ETIM 5.0 EC002498

## Approvals

### Standards

IEC 61439-1:2020  
UL 508

### Approvals

UL



for UL feeder circuits >250V

type number: CL185-A100

UL file: E123577, UL category (for USA): NMTR <https://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <https://www.ul.com>

CCC approval: no certification required

## Technical data

### Details IEC

#### Standards

IEC 61439-1:2020

the current carrying capacity of the busbar system is reduced by factor 0,94 when the shock protection module is used,  
the factor changes to 0,88 when the base plates of the shrouding system (rear protection) are added

### Details UL

#### Standards

UL 508

for UL feeder circuits >250V

### **Mechanical data**

W x H x D: 100 x 556 x 49

weight: 34.0 kg/100

for busbars: 30, 40, 60, 80, 100, 120 x 10

front degree of protection: IP20

## Application notes

short-circuit not applicable, since the product does not contain or carry any live parts or  
withstandability: is not stressed in the case of a short-circuit  
for UL feeder circuits >250V

<https://pim.woehner.de/EN/EN/1000157954>