

# ROC SERIES

## IP66 POLYESTER DOUBLE INSULATION BOXES

Description: IP66 POLYESTER BOX WITH POLYCARBONATE OPAQUE LID - MOD.: 6x6 high

Reference:

**ROC66APO**

### Characteristics:

<b>Product type:</b>	Polyester double insulation box with opaque cover
<b>Dimensions cabinet:</b>	(AxBxC) 540x540x201 mm
<b>Installation:</b>	Surface
<b>Type of door:</b>	Opaque lid
<b>Locking:</b>	Screws for use with a screwdriver
<b>Finish:</b>	Double insulation: Class II
<b>Colour:</b>	RAL 7035
<b>Mounting plate:</b>	Without mounting plate
<b>Weight (kg):</b>	5,4
<b>Materials:</b>	Fibreglass-reinforced polyester
<b>Thickness:</b>	
<b>Sealing gasket:</b>	Polyurethan
<b>Door material:</b>	Polycarbonate
<b>Capacity:</b>	
<b>Max. cabinet load:</b>	
<b>Max. mounting plate load:</b>	
<b>Max. door load:</b>	

### Technical data:

<b>Degree of protection:</b>	IP66
<b>NEMA degree of protection:</b>	
<b>Resistance to impact:</b>	IK09
<b>Ambient temperature range:</b>	-30 °C / +60 °C
<b>Maximum operating voltage:</b>	1000 V AC / 1500 V DC

### Certificates and standards:

<b>Directive:</b>	2014/35/EU
<b>Standards:</b>	IEC 62208, IEC 61439-1
<b>Certificates:</b>	



### Codes:


<b>EAN:</b>	8431044123981
<b>Customs tariff number:</b>	85.38.10.00
<b>ETIM 8.0:</b>	EC002600

# ROC SERIES

## IP66 POLYESTER DOUBLE INSULATION BOXES

Description: IP66 POLYESTER BOX WITH POLYCARBONATE OPAQUE LID - MOD.: 6x6 high

Reference: ROC66APO



Standard drawing

**Detailed drawing:**  <http://www.ide.es/downloads/planos/pdf/ROC66APO.pdf>  
 <http://www.ide.es/downloads/planos/dxf/ROC66APO.dxf>  
 <http://www.ide.es/downloads/planos/stp/ROC66APO.stp>

**Cable entry:** -  
**Wall fixing:** (GxH) 515x515 mm  
**Inside usable space:** (DxExF) 515x515x184 mm  
**No. Hinges:** -

**Body to be flush-fitted:** -  
**Wall fixing material:** -  
**Glass door with transparent panel:** -  
**Door profiles:** -

### Sustainability:

RoHS - REACH

### Supply:

Supplied in a single box per packaging multiples. Each reference includes a bag with four standard manual closing screws and four screws for fixing to the base plate.

### Product end of life:

It does not require specific recycling operations.

### Recommended applications:

Industrial environments and outdoor facilities. food, chemical and pharmaceutical industries, transformer sub-stations and outdoor areas where durability and resistance against chemicals and UV rays are necessary.